


LUNG CANCER AND BLACK AMERICANS



Lung cancer is the leading cause of cancer deaths among Black Americans




INCIDENCE RATE

(2015-2019 PER 100,000 OF POPULATION)



Five-year survival rate is lower in Black patients despite a decreased incidence.

(2012-2018)



* Data for Black race includes both Hispanic and Non-Hispanic ethnicities

Giaquinto, AN, et al., Cancer Statistics for African American/Black People 2022, 2022. CA Cancer J Clin. 2022. Online ahead of print

Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER*Stat Database, National Cancer Institute, DCCPS, Surveillance Research Program, released April 2022.

LUNG CANCER AND BLACK AMERICANS




BLACK AMERICANS ARE UNDER-REPRESENTED IN CLINICAL TRIALS

Treatments work differently in people. It is important to understand how ALL people respond to them. So, representation from ALL people is vitally important.

The percentages for clinical trials participation are: ¹

6%
for Black Americans



83%
for Caucasians



¹<https://acsjournals.onlinelibrary.wiley.com/doi/full/10.1002/cncr.28168>

Make your voice heard, join a clinical trial

LungMATCH can help connect you with clinical trials and answer any treatment questions you may have:

Call: 800-298-2436 OR

Email: support@go2foundation.org